





**Electrical Analysis report with Harmonics**

**Product : Flameproof Well Glass 60W**

**Product : Flame Proof Well Glass 60 W**

**Recording Start Date**      02-Mar-16  
**Recording Duration**      5:00 (min:s)  
**Instrument ID**              Model C.A 8230 - 103247 1.6  
**Database File Name**      Trend PLD60.dvb  
**Instrument Configuration**      Connection Type: Single-Phase







Reg Office : 40/54, Kasi Estate 4th Street, Ashok Nagar, Chennai - 600083  
 Phone : 044-24710257 Email : vinwares@gmail.com Web Site : www.vinwares.com

**Title** : Graphs – Voltage/ Current/ Power/ PF  
**Product** : Flame Proof Well Glass


Graph - Voltage (Vrms)




Graph - Current (Arms)



Graph - True Power (W) / Apprent Power (VA) /  
Reactive Power (var)




Graph - Power Factor (PF)





Reg Office : 40/54, Kasi Estate 4th Street, Ashok Nagar, Chennai - 600083  
Phone : 044-24710257 Email : vinwares@gmail.com Web Site : www.vinwares.com

**Title** : Total Harmonics Distortion Graph  
**Product** : Flame Proof Well Glass



Graph - Total Harmonic Distortion - ATHD / VTHD

02-Mar-16 - 10:37:00.000 AM	
Value	
2.200	— V THD
16.60	— A THD